

Agenda Requests

Date 7/17/2024

ID1

Coordination Number

Status

Description

Agency Name

Site Name

Latitude

Longitude

New/Existing (NorE)

AOP KM or C or S

Number of units

Type

Elevation Meters

HAAT Meters

Call Sign

Ant Height Meters

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP

Power

Frequency 1

Frequency 4

Emission 1

Frequency 2

Frequency 5

Emission 2

Frequency 3

Frequency 6

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 7/17/2024

ID1 440

Status ABM

Agency Name LA County Parks

Latitude 33 50 43.5

New/Existing (NorE) N

Number of units 20

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees

Power 6

Frequency 1 460.1125

Frequency 2 465.1125

Frequency 3

Frequency 7

Frequency 8

Coordination Number PS20240400771

Description New Mobile system

Los Angeles

Site Name

Longitude 118 17 42.4

AOP km or C or S 32

Type MO

HAAT Meters

Ant Gain dBd

Ant Direction

ERP 6

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 7K60FXE

Emission 4

Published

Date 7/17/2024

ID1 441

Status

Agency Name LOMPOC, CITY OF

Latitude 34 40 45.6

New/Existing (NorE) N

Number of units 1000

Elevation Meters 55

Ant Height Meters 9.1

Ant Downtilt

Beamwidth Degrees

Power 30

Frequency 1 453.3625

Frequency 2 453.550

Frequency 3 453.725

Frequency 7 458.725

Frequency 8 458.9

Coordination Number 46YWAP440262702

Description New FB8 System

Lompoc

Site Name

Longitude 120 27 42.0

AOP KM or C or S 32

Type FB8/MO8

HAAT Meters -92.3

Ant Gain dBd

Ant Direction

ERP 40

Frequency 4 453.900

Frequency 5 458.3625

Frequency 6 458.550

Frequency 9

Frequency 10

Emission 3 8K70D1W

Call Sign

Emission 1 8k10F1D

Emission 2 8K10F1E

Emission 4 9K80D7W

Published

Date 7/17/2024

ID1 442

Status

Agency Name LOMPOC, CITY OF

Latitude 34 37 0.0

New/Existing (NorE) N

Number of units 1000

Elevation Meters 99

Ant Height Meters 9.1

Ant Downtilt

Beamwidth Degrees

Power 2

Frequency 1 460.2125

Frequency 2 460.4125

Frequency 3 465.2125

Frequency 7

Frequency 8

Coordination Number 46PWAP440262703

Description NewFB2 system

Lompoc

Site Name

Longitude 120 27 54.1

AOP KM or C or S 32

Type FB2/MO

HAAT Meters -63.9

Ant Gain dBd

Ant Direction

ERP 10

Frequency 4 465.4125

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 8K10F1E

Emission 4

Published

Date 6/24/2024

ID1 413

Status

Agency Name NCDJPD

Latitude 33 11 37.1

New/Existing (NorE)

Number of units 1

Elevation Meters 90.3

Ant Height Meters 18.9

Ant Downtilt

Beamwidth Degrees 360

Power 60

Frequency 1 153.890

Frequency 2 154.025

Frequency 3 154.235

Frequency 7

Frequency 8

Coordination Number

Description Add New location

Fire Mtn.

Site Name

Longitude 117 20 20.1

AOP KM or C or S 80

Type FB/FB2

HAAT Meters 52.2

Ant Gain dBd 2

Ant Direction

ERP 100

Frequency 4 155.685

Frequency 5 153.815

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WRXX600

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 7/9/2024

ID1 414

Status

Agency Name Orange, County of

Latitude 33 47 44.5

New/Existing (NorE) E

Number of units 1

Elevation Meters 144

Ant Height Meters 358

Ant Downtilt

Beamwidth Degrees

Power 110

Frequency 1 46.56

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description Add FB Location

SSA Sate College

Site Name

Longitude 117 53 23.5

AOP KM or C or S

Type FB

HAAT Meters

Ant Gain dBd 0

Ant Direction 360

ERP 110

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WQIN661

Emission 1 20K0F3E

Emission 2

Emission 4

Published

Date 7/15/2024

ID1 420

Status ABM

Agency Name RIVERSIDE, COUNTY OF

Latitude 33 36 44.1

New/Existing (NorE) N

Number of units 15

Elevation Meters 81

Ant Height Meters 34

Ant Downtilt

Beamwidth Degrees

Power 60

Frequency 1 154.280

Frequency 2 154.34

Frequency 3 151.085

Frequency 7

Frequency 8

Coordination Number 46PWAP340262686

Description Relicense expired license KCN819
46PWAP340262686
46PWAP340262686

BLYTHE

Site Name

Longitude 114 35 52.8

AOP KM or C or S C

Type FB/FB2/MO

HAAT Meters 5

Ant Gain dBd

Ant Direction

ERP 180

Call Sign

Frequency 4

Emission 1 11K2F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 421

Status ABM

Agency Name RIVERSIDE, COUNTY OF

Latitude 33 36 44.1

New/Existing (NorE) N

Number of units 15

Elevation Meters 84

Ant Height Meters 12

Ant Downtilt

Beamwidth Degrees

Power 60

Frequency 1 154.280

Frequency 2 154.34

Frequency 3 151.085

Frequency 7

Frequency 8

Coordination Number 46PWAP340262686

Description Relicense expired license KCN819
46PWAP340262686
46PWAP340262686

BLYTHE

Site Name

Longitude 114 36 3.8

AOP kM or C or S C

Type FB/FB2/MO

HAAT Meters -13

Ant Gain dBd

Ant Direction

ERP 180

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 7/15/2024

ID1 422

Status ABM

Agency Name RIVERSIDE, COUNTY OF

Latitude 33 40 24.1

New/Existing (NorE) N

Number of units 15

Elevation Meters 123

Ant Height Meters 23

Ant Downtilt

Beamwidth Degrees

Power 125

Frequency 1 154.280

Frequency 2 154.34

Frequency 3 151.085

Frequency 7

Frequency 8

Coordination Number 46PWAP340262686

Description Relicense expired license KCN819
46PWAP340262686
46PWAP340262686

BLYTHE

Site Name

Longitude 114 38 8.9

AOP KM or C or S C

Type FB/FB2/MO

HAAT Meters 6.8

Call Sign

Ant Gain dBd

Ant Direction

ERP 200

Frequency 4

Emission 1 11K2F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 415

Coordination Number 46YWAP340262672

Status

Description New FB8 system at 5 locations

Agency Name SANTA BARBARA, COUNTY OF

Santa Barabara

Site Name

Latitude 34 25 30.2

Longitude 119 42 12.6

New/Existing (NorE) N

AOP km or C or S C

Number of units 1

Type FB8/MO/FX1

Elevation Meters 30

HAAT Meters -164.8

Call Sign

Ant Height Meters 21.7

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP 300

Power 100

Frequency 1 153.77

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 2 153.98

Frequency 5 155.3175

Emission 2 11K2F1D

Frequency 3 154.875

Frequency 6

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 416

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 55 18.2

New/Existing (NorE) N

Number of units 1

Elevation Meters 78

Ant Height Meters 18.3

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.77

Frequency 2 153.98

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262672

Description New FB8 system at 5 locations

Santa Maria

Site Name

Longitude 120 25 44.0

AOP KM or C or S C

Type FB8/MO/FX1

HAAT Meters -55

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 417

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 25 30.2

New/Existing (NorE) N

Number of units 1

Elevation Meters 101

Ant Height Meters 22.9

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.77

Frequency 2 153.98

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262672

Description New FB8 system at 5 locations

Santa Barabara

Site Name

Longitude 119 42 12.6

AOP km or C or S C

Type FB8/MO/FX1

HAAT Meters -150.3

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 418

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 25 30.2

New/Existing (NorE) N

Number of units 1

Elevation Meters 199

Ant Height Meters 10.7

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.77

Frequency 2 153.98

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262672

Description New FB8 system at 5 locations

Santa Barabara

Site Name

Longitude 119 42 12.6

AOP KM or C or S C

Type FB8/MO/FX1

HAAT Meters -81.1

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 419

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 25 30.2

New/Existing (NorE) N

Number of units 1

Elevation Meters 34

Ant Height Meters 10.7

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.77

Frequency 2 153.98

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262672

Description New FB8 system at 5 locations

Santa Barabara

Site Name

Longitude 119 42 12.6

AOP km or C or S C

Type FB8/MO/FX1

HAAT Meters -128.1

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 423

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 30 49.2

New/Existing (NorE) N

Number of units 1

Elevation Meters 187.1

Ant Height Meters 20.4

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262673

Description New FB8 system at 6 locations

Santa Barabara

Site Name

Longitude 120 13 51.6

AOP KM or C or S

Type FB8

HAAT Meters 9.6

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 424

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude

New/Existing (NorE) N

Number of units 100

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees

Power 35

Frequency 1 150.805

Frequency 2 151.0025

Frequency 3 151.1075

Frequency 7

Frequency 8

Coordination Number 46YWAP340262672

Description New FB8 system at 5 locations

Santa Barabara

Site Name

Longitude

AOP km or C or S C

Type MO/FX1

HAAT Meters

Ant Gain dBd

Ant Direction

ERP 35

Frequency 4 151.2425

Frequency 5 151.4375

Frequency 6 151.4825

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 425

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 50 5.1

New/Existing (NorE) N

Number of units 1

Elevation Meters 409.4

Ant Height Meters 30.2

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262673

Description New FB8 system at 6 locations

Santa Maria

Site Name

Longitude 120 22 59.5

AOP KM or C or S

Type FB8

HAAT Meters 247.5

Ant Gain dBd

Ant Direction

ERP 98.7

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 426

Coordination Number 46YWAP340262673

Status

Description New FB8 system at 6 locations

Agency Name SANTA BARBARA, COUNTY OF

Lompoc

Site Name

Latitude 34 50 5.1

Longitude 120 22 59.5

New/Existing (NorE) N

AOP km or C or S

Number of units 1

Type FB8

Elevation Meters 254.2

HAAT Meters 130.4

Call Sign

Ant Height Meters 7.6

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP 300

Power 100

Frequency 1 153.770

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 2 153.980

Frequency 5 155.3175

Emission 2 11K2F1D

Frequency 3 154.875

Frequency 6 156.1350

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 427

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 35 3 0.2

New/Existing (NorE) N

Number of units 1

Elevation Meters 1186

Ant Height Meters 23.5

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262673

Description New FB8 system at 6 locations

New Cuyama

Site Name

Longitude 120 2 27.7

AOP KM or C or S

Type FB8

HAAT Meters 506.6

Ant Gain dBd

Ant Direction

ERP 23.5

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 428

Coordination Number 46YWAP340262673

Status

Description New FB8 system at 6 locations

Agency Name SANTA BARBARA, COUNTY OF

Rincon

Site Name

Latitude 34 22 17.7

Longitude 119 25 15.6

New/Existing (NorE) N

AOP km or C or S

Number of units 1

Type FB8

Elevation Meters 629.9

HAAT Meters 412

Call Sign

Ant Height Meters 23.5

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP 35.6

Power 100

Frequency 1 153.770

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 2 153.980

Frequency 5 155.3175

Emission 2 11K2F1D

Frequency 3 154.875

Frequency 6 156.1350

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 429

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 50 31.1

New/Existing (NorE) N

Number of units 1

Elevation Meters 318.9

Ant Height Meters 14.9

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262673

Description New FB8 system at 6 locations

Santa Maria

Site Name

Longitude 120 29 57.0

AOP KM or C or S

Type FB8

HAAT Meters 202.4

Ant Gain dBd

Ant Direction

ERP 147.6

Frequency 4 155.0775

Frequency 5 155.3175

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 430

Coordination Number 46YWAP340262674

Status

Description New FB8 system at 4 locations

Agency Name SANTA BARBARA, COUNTY OF

Santa Barbara

Site Name

Latitude 34 31 35.9

Longitude 119 58 42.4

New/Existing (NorE) N

AOP km or C or S

Number of units 1

Type FB8

Elevation Meters 1301.6

HAAT Meters 1009

Call Sign

Ant Height Meters 14.9

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP 5.9

Power 100

Frequency 1 153.770

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 2 153.980

Frequency 5 155.3125

Emission 2 11K2F1D

Frequency 3 154.875

Frequency 6 156.1350

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 431

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 54 54.3

New/Existing (NorE) N

Number of units 1

Elevation Meters 981.8

Ant Height Meters 37.2

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262674

Description New FB8 system at 4 locations

Santa Maria

Site Name

Longitude 120 10 57.7

AOP KM or C or S

Type FB8

HAAT Meters 563.6

Ant Gain dBd

Ant Direction

ERP 19

Frequency 4 155.0775

Frequency 5 155.3125

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 432

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 33 59 56.1

New/Existing (NorE) N

Number of units 1

Elevation Meters 407.9

Ant Height Meters 11.2

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262674

Description New FB8 system at 4 locations

Santa Barbara

Site Name

Longitude 119 41 0.9

AOP KM or C or S

Type FB8

HAAT Meters 350.8

Ant Gain dBd

Ant Direction

ERP 49.1

Frequency 4 155.0775

Frequency 5 155.3125

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 433

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 34 12.7

New/Existing (NorE) N

Number of units 1

Elevation Meters 384

Ant Height Meters 15.3

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262674

Description New FB8 system at 4 locations

Lompoc

Site Name

Longitude 120 21 16.6

AOP KM or C or S

Type FB8

HAAT Meters 186.9

Ant Gain dBd

Ant Direction

ERP 173.1

Frequency 4 155.0775

Frequency 5 155.3125

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 434

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 24 48.7

New/Existing (NorE) N

Number of units 1

Elevation Meters 14

Ant Height Meters 13.8

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262676

Description New FB8 system at 5 locations

Santa Barbara

Site Name

Longitude 119 50 43.8

AOP KM or C or S

Type FB8

HAAT Meters -95.5

Ant Gain dBd

Ant Direction

ERP 300

Call Sign

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 5 155.3125

Emission 2 11K2F1D

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 435

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 56 44.9

New/Existing (NorE) N

Number of units 1

Elevation Meters 657

Ant Height Meters 23.7

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262676

Description New FB8 system at 5 locations

New Cuyama

Site Name

Longitude 119 40 55.6

AOP KM or C or S

Type FB8

HAAT Meters -167.4

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3125

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 436

Coordination Number 46YWAP340262676

Status

Description New FB8 system at 5 locations

Agency Name SANTA BARBARA, COUNTY OF

Lompoc

Site Name

Latitude 34 44 18.8

Longitude 120 26 44.8

New/Existing (NorE) N

AOP km or C or S

Number of units 1

Type FB8

Elevation Meters 367.3

HAAT Meters 238.8

Call Sign

Ant Height Meters 27.5

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP 106

Power 100

Frequency 1 153.770

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 2 153.980

Frequency 5 155.3125

Emission 2 11K2F1D

Frequency 3 154.875

Frequency 6 156.1350

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 7/15/2024

ID1 437

Status

Agency Name SANTA BARBARA, COUNTY OF

Latitude 34 21 6.0

New/Existing (NorE) N

Number of units 1

Elevation Meters 0

Ant Height Meters 36.7

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 153.770

Frequency 2 153.980

Frequency 3 154.875

Frequency 7

Frequency 8

Coordination Number 46YWAP340262676

Description New FB8 system at 5 locations

Pacific Ocean

Site Name

Longitude 120 16 4.0

AOP KM or C or S

Type FB8

HAAT Meters 33.6

Ant Gain dBd

Ant Direction

ERP 300

Frequency 4 155.0775

Frequency 5 155.3125

Frequency 6 156.1350

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2 11K2F1D

Emission 4

Published

Date 7/15/2024

ID1 438

Coordination Number 46YWAP340262676

Status

Description New FB8 system at 5 locations

Agency Name SANTA BARBARA, COUNTY OF

Los Alamos

Site Name

Latitude 34 44 42.8

Longitude 120 16 47.2

New/Existing (NorE) N

AOP km or C or S

Number of units 1

Type FB8

Elevation Meters 172

HAAT Meters -65.3

Call Sign

Ant Height Meters 30.5

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP 300

Power 100

Frequency 1 153.770

Frequency 4 155.0775

Emission 1 11K2F3E

Frequency 2 153.980

Frequency 5 155.3125

Emission 2 11K2F1D

Frequency 3 154.875

Frequency 6

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 6/21/2024

ID1 408

Status ABM

Agency Name SOUTH COAST WATER DISTRICT

Latitude 33 27 59.1

New/Existing (NorE) N

Number of units 6

Elevation Meters 6.4

Ant Height Meters 14

Ant Downtilt

Beamwidth Degrees

Power 25

Frequency 1 158.835

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number 46PWAP340262592

Description New license to relace exipered. Existing freq

Dana Point

Site Name

Longitude 117 41 6.2

AOP KM or C or S 24

Type FB/MO

HAAT Meters -44.2

Ant Gain dBd

Ant Direction

ERP 25

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 6/25/2024

ID1 410

Status ABM

Agency Name THOUSAND OAKS, CITY OF

Latitude 34 11 58.0

New/Existing (NorE) N

Number of units 1000

Elevation Meters 427

Ant Height Meters 20

Ant Downtilt

Beamwidth Degrees

Power 125

Frequency 1 154.115

Frequency 2 158.925

Frequency 3

Frequency 7

Frequency 8

Coordination Number PS20240400687

Description Re-license expired WPMH750

THOUSAND OAKS

Site Name

Longitude 118 50 .3

AOP km or C or S 40

Type FN/FB2/MO

HAAT Meters 109

Ant Gain dBd

Ant Direction

ERP 200

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3 7K60FXE

Call Sign

Emission 1 11K0F2D

Emission 2 11K0FXD

Emission 4

Published

Date 6/28/2024

ID1 412

Status ABM

Agency Name Valley Sanitary District

Latitude 33 43 17.1

New/Existing (NorE) E

Number of units 50

Elevation Meters -9

Ant Height Meters 18

Ant Downtilt

Beamwidth Degrees

Power 50

Frequency 1 151.010

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number 46PWAP340262589

Description Add new FB2 and new emmissions

Indio

Site Name

Longitude 116 12 6.0

AOP KM or C or S 24

Type FB/FB2/MO

HAAT Meters -152.1

Ant Gain dBd

Ant Direction

ERP 100

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WNBC688

Emission 1 11K2F3E

Emission 2 7K60FXE

Emission 4

Published

Date 6/24/2024

ID1 409

Status ABM

Agency Name VENTURA PORT DISTRICT

Latitude 34 14 31.0

New/Existing (NorE) E

Number of units 30

Elevation Meters 2

Ant Height Meters 12

Ant Downtilt

Beamwidth Degrees

Power 45

Frequency 1 151.160

Frequency 2 155.925

Frequency 3

Frequency 7

Frequency 8

Coordination Number PS20240400672

Description New location very near the existing location

Ventura

Site Name

Longitude 119 15 54.0

AOP KM or C or S 16

Type FB2/FB/MO

HAAT Meters -50.8

Ant Gain dBd

Ant Direction

ERP 90

Call Sign WRJV634

Frequency 4

Emission 1 11K2F3E

Frequency 5

Emission 2 7K60FXD

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3 7K60FXE

Published