

Agenda Requests

Date 11/18/2024

ID1

Coordination Number

Status

Description

Agency Name

Site Name

Latitude

Longitude

New/Existing (NorE)

AOP KM or C or S

Number of units

Type

Elevation Meters

HAAT Meters

Call Sign

Ant Height Meters

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP

Power

Frequency 1

Frequency 4

Emission 1

Frequency 2

Frequency 5

Emission 2

Frequency 3

Frequency 6

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 1/6/2025

ID1 651

Status

Agency Name CALIFORNIA, STATE OF

Latitude 33 23 13.1

New/Existing (NorE) E

Number of units

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees

Power

Frequency 1 851.5625

Frequency 2 852.5625

Frequency 3

Frequency 7

Frequency 8

Coordination Number CAP24111910008770

Description Modify Emmisions

Avalon

Site Name

Longitude 118 24 4.5

AOP KM or C or S

Type FB/FB2

HAAT Meters 580

Ant Gain dBd

Ant Direction

ERP

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WPEJ503

Emission 1 16K0F3E

Emission 2

Emission 4

Published

Date 1/6/2025

ID1 652

Status

Agency Name CALIFORNIA, STATE OF

Latitude 33 23 13.1

New/Existing (NorE) E

Number of units

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees

Power

Frequency 1 852.4625

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number CAP24111910008771

Description Modify Emmisions

Avalon

Site Name

Longitude 118 24 4.5

AOP KM or C or S

Type FB/FB2

HAAT Meters 580

Ant Gain dBd

Ant Direction

ERP

Call Sign WPGU293

Frequency 4

Emission 1 16K0F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/6/2025

ID1 653

Coordination Number CAP24111910008773

Status

Description Modify Emmisions

Agency Name CALIFORNIA, STATE OF

Avalon

Site Name

Latitude 33 23 13.1

Longitude 118 24 4.5

New/Existing (NorE) E

AOP KM or C or S

Number of units

Type FB/FB2

Elevation Meters

HAAT Meters 580

Call Sign WNDF251

Ant Height Meters

Ant Gain dBd

Ant Downtilt

Ant Direction

Beamwidth Degrees

ERP

Power

Frequency 1 851.4625

Frequency 4

Emission 1 16K0F3E

Frequency 2 853.4625

Frequency 5

Emission 2

Frequency 3

Frequency 6

Emission 4

Frequency 7

Frequency 9

Frequency 8

Frequency 10

Emission 3

Published

Date 1/6/2025

ID1 654

Status

Agency Name CALIFORNIA, STATE OF

Latitude 33 23 13.1

New/Existing (NorE) E

Number of units

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees 360

Power

Frequency 1

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number CAP24111910008795

Description Modify Antenna parameter

Avalon

Site Name

Longitude 118 24 4.5

AOP KM or C or S

Type FB/FB2

HAAT Meters 575

Ant Gain dBd 6

Ant Direction 360

ERP

Call Sign WRTT388

Frequency 4

Emission 1 16K0F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/6/2025

ID1 655

Status

Agency Name CALIFORNIA, STATE OF

Latitude 33 56 47.5

New/Existing (NorE) E

Number of units 500

Elevation Meters 172.5

Ant Height Meters 15.2

Ant Downtilt

Beamwidth Degrees 360

Power 35

Frequency 1 851.4625

Frequency 2 852.4625

Frequency 3

Frequency 7

Frequency 8

Coordination Number CAP24121010008831

Description Add Frequencies

Corona

Site Name

Longitude 117 38 0.6

AOP KM or C or S 16

Type FB/FB2/MO

HAAT Meters -70.2

Ant Gain dBd 0

Ant Direction 360

ERP 25

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3 9K80D7W

Call Sign WNSS303

Emission 1 8K10F1E

Emission 2 8K10F1W

Emission 4

Published

Date 1/11/2025

ID1 660

Status

Agency Name Heartland Communication

Latitude 32 45 36.47

New/Existing (NorE) E

Number of units 1

Elevation Meters 286.4

Ant Height Meters 9.45

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 154.205

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description change location and Add Freqs

Cavalo

Site Name

Longitude 116 58 4.08

AOP km or C or S

Type FB/FB2

HAAT Meters 98.9

Ant Gain dBd 2

Ant Direction

ERP 250

Call Sign WNVQ463

Frequency 4

Emission 1 11K2F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/11/2025

ID1 661

Status

Agency Name Heartland Communication

Latitude 34 48 21.85

New/Existing (NorE) E

Number of units 1

Elevation Meters 997.1

Ant Height Meters 25.3

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 155.190

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description change location and Add Freqs

Viejas

Site Name

Longitude 116 56 9.10

AOP KM or C or S

Type FB/FB2

HAAT Meters 124.2

Ant Gain dBd 2

Ant Direction

ERP 250

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WNVQ463

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 1/11/2025

ID1 662

Status

Agency Name Heartland Communication

Latitude 32 50 21.95

New/Existing (NorE) E

Number of units 1

Elevation Meters 741.5

Ant Height Meters 13.7

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 154.205

Frequency 2 155.190

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description change location and Add Freqs

Crest

Site Name

Longitude 116 42 50.2

AOP km or C or S

Type FB/FB2

HAAT Meters 31.1

Ant Gain dBd 2

Ant Direction

ERP 250

Call Sign WNVQ463

Frequency 4

Emission 1 11K2F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/11/2025

ID1 663

Status

Agency Name Heartland Communication

Latitude 32 40 24.24

New/Existing (NorE) E

Number of units 1

Elevation Meters 106.5

Ant Height Meters 10.7

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 154.205

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description New Location add Frequencies

Sweetwater

Site Name

Longitude 117 02 10.54

AOP km or C or S

Type FB/FB2

HAAT Meters 7.5

Ant Gain dBd 2

Ant Direction

ERP 250

Call Sign WNVQ463

Frequency 4

Emission 1 11K2F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/11/2025

ID1

Status

Agency Name

Latitude

New/Existing (NorE)

Number of units

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees

Power

Frequency 1

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description

Site Name

Longitude

AOP km or C or S

Type

HAAT Meters

Ant Gain dBd

Ant Direction

ERP

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign

Emission 1

Emission 2

Emission 4

Published

Date 11/19/2024

ID1 649

Status Not Approv

Agency Name LOS ANGELES COUNTY OF

Latitude

New/Existing (NorE) N

Number of units 3850

Elevation Meters

Ant Height Meters

Ant Downtilt

Beamwidth Degrees

Power 100

Frequency 1 156.105

Frequency 2 151.250

Frequency 3 159.4425

Frequency 7

Frequency 8

Coordination Number IM20240400929

Description New MO frequencies

Site Name

Longitude

AOP KM or C or S C

Type MO

HAAT Meters

Ant Gain dBd

Ant Direction

ERP 100

Call Sign

Frequency 4 159.225

Emission 1 11K2F3E

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/14/2025

ID1 667

Status

Agency Name Montecito FD

Latitude 34 24 4.5

New/Existing (NorE) E

Number of units 250

Elevation Meters 208.7

Ant Height Meters 18

Ant Downtilt

Beamwidth Degrees 64

Power 100

Frequency 1 150.775

Frequency 2 154.355

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description Swap freq of FB2/MO Needs Silver City LOC

Shepards Mesa

Site Name

Longitude 119 28 10.5

AOP KM or C or S 64

Type FB/FB2/MO

HAAT Meters 105.7

Ant Gain dBd 5

Ant Direction 124

ERP 75

Call Sign WPUD994

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 1/14/2025

ID1 668

Status

Agency Name Montecito FD

Latitude 34 27 56.4

New/Existing (NorE) E

Number of units 250

Elevation Meters 626.1

Ant Height Meters 5.2

Ant Downtilt

Beamwidth Degrees 90

Power 100

Frequency 1 150.775

Frequency 2 154.355

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description Swap freq of FB2/MO Needs Silver City LOC

Gibraltar

Site Name

Longitude 119 40 41.1

AOP KM or C or S 64

Type FB/FB2/MO

HAAT Meters 263.1

Ant Gain dBd 6

Ant Direction 124

ERP 100

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WPUD994

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 1/7/2025

ID1 656

Status

Agency Name San Diego, County of

Latitude 32 50 30.3

New/Existing (NorE) E

Number of units 10000

Elevation Meters 105.8

Ant Height Meters 11

Ant Downtilt 0

Beamwidth Degrees 360

Power 100

Frequency 1 769.10625

Frequency 2 800.58125

Frequency 3 801.09375

Frequency 7

Frequency 8

Coordination Number

Description Add Freq change freq increase MO

Los Colinas Detention

Site Name

Longitude 116 58 21.4

AOP KM or C or S 10

Type FB/FB2/MO

HAAT Meters -125.4

Ant Gain dBd 3

Ant Direction 360

ERP 175

Call Sign WQOV552

Frequency 4

Emission 1 9K80D7W

Frequency 5

Emission 2

Frequency 6

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/7/2025

ID1 657

Status

Agency Name San Diego, County of

Latitude 32 35 24.4

New/Existing (NorE) E

Number of units 10000

Elevation Meters 212

Ant Height Meters 15.2

Ant Downtilt 0

Beamwidth Degrees 360

Power 100

Frequency 1

Frequency 2

Frequency 3

Frequency 7

Frequency 8

Coordination Number

Description Increase MO

George Bailey Detention

Site Name

Longitude 116 55 16.1

AOP KM or C or S

Type MO

HAAT Meters -8.1

Ant Gain dBd 3

Ant Direction 360

ERP 175

Call Sign WQOV552

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Emission 1 9K80D7W

Emission 2

Emission 4

Published

Date 1/7/2025

ID1 658

Status

Agency Name San Diego, County of

Latitude 32 43 2.3

New/Existing (NorE) E

Number of units 10000

Elevation Meters 16

Ant Height Meters 77

Ant Downtilt

Beamwidth Degrees 49

Power 20

Frequency 1 769.11875

Frequency 2 769.34375

Frequency 3 769.58125

Frequency 7

Frequency 8

Coordination Number

Description Add FB and MO

San Diego Central Jail

Site Name

Longitude 117 09 51.9

AOP KM or C or S

Type FB/MO

HAAT Meters 56

Ant Gain dBd 10

Ant Direction 228

ERP 2

Frequency 4 769.83125

Frequency 5 771.10625

Frequency 6 771.33125

Frequency 9

Frequency 10

Emission 3

Call Sign WSBV823

Emission 1 9K80D7W

Emission 2

Emission 4

Published

Date 1/7/2025

ID1 659

Status

Agency Name San Diego, County of

Latitude 32 43 2.3

New/Existing (NorE) E

Number of units 10000

Elevation Meters 16

Ant Height Meters 77

Ant Downtilt

Beamwidth Degrees 49

Power 20

Frequency 1 799.11875

Frequency 2 799.34375

Frequency 3 799.58125

Frequency 7

Frequency 8

Coordination Number

Description Add FB and MO

San Diego Central Jail

Site Name

Longitude 117 09 51.9

AOP KM or C or S

Type FB/MO

HAAT Meters 56

Ant Gain dBd 10

Ant Direction 228

ERP 2

Call Sign WSBV823

Frequency 4 799.83125

Emission 1 9K80D7W

Frequency 5 801.10625

Emission 2

Frequency 6 801.33125

Emission 4

Frequency 9

Frequency 10

Emission 3

Published

Date 1/13/2025

ID1 665

Status ABM

Agency Name SAN LUIS OBISPO,
COUNTY OF

Latitude 35 32 58

New/Existing (NorE) E

Number of units 100

Elevation Meters 134

Ant Height Meters 24.4

Ant Downtilt

Beamwidth Degrees 360

Power 50

Frequency 1 453.575

Frequency 2 458.575

Frequency 3

Frequency 7

Frequency 8

Coordination Number 46PWAP450263621

Description Add new FB2 UHF pair

Cambria

Site Name

Longitude 121 4 33.3

AOP KM or C or S 32

Type FB2/MO

HAAT Meters 18

Ant Gain dBd 5

Ant Direction 360

ERP 150

Frequency 4

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3

Call Sign WRZV274

Emission 1 11K2F3E

Emission 2

Emission 4

Published

Date 12/23/2024

ID1 650

Status ABM W/cond

Agency Name SOUTH GATE, CITY OF

Latitude 33 57 34.1

New/Existing (NorE) E

Number of units 110

Elevation Meters 37

Ant Height Meters 26

Ant Downtilt -8

Beamwidth Degrees 90

Power 100

Frequency 1 159.120

Frequency 2 151.190

Frequency 3 151.2725

Frequency 7

Frequency 8

Coordination Number 46PWAP340263460

Description Add VHF FB@ pair and 2 MO VHF wanted 5

South Gate

Site Name

Longitude 118 12 32.3

AOP KM or C or S 20

Type FB2/MO

HAAT Meters 12.1

Ant Gain dBd 8

Ant Direction 0

ERP 30

Frequency 4 151.250

Frequency 5

Frequency 6

Frequency 9

Frequency 10

Emission 3 11K2F3E

Call Sign KMK250

Emission 1 11K2F1D

Emission 2 11K2F1E

Emission 4 7K60FXE

Published

Date 1/14/2025

ID1 666

Status

Agency Name TEHACHAPI, CITY OF

Latitude 35 9 50.9

New/Existing (NorE) E

Number of units 50

Elevation Meters 1796.4

Ant Height Meters 9.1

Ant Downtilt -7

Beamwidth Degrees 360

Power 45

Frequency 1 460.050

Frequency 2 453.150

Frequency 3 460.4625

Frequency 7

Frequency 8

Coordination Number 46PWAP450263627

Description Change location LOC 1 - Needs LA county LOC

Bear Valley Springs

Site Name

Longitude 118 34 50.1

AOP KM or C or S 48

Type FB2/MO

HAAT Meters 582.8

Ant Gain dBd 6

Ant Direction 360

ERP 90

Frequency 4 465.050

Frequency 5 453.150

Frequency 6 465.4625

Frequency 9

Frequency 10

Emission 3

Call Sign WQUV521

Emission 1 11K2F3E

Emission 2 8K10F1E

Emission 4

Published